



B L E N D S T O N E

[timeless elegance]

Material.	Glazed porcelain rectified
Sizes.	120x120 - 60x120 - 60x60 - 30x60
Thicknesses.	9mm 20mm (sizes 60x120 - 60x60, colours Pure, Beige, Grey)
Finishes.	Natural - Grip (20mm)
Colours.	White, Pure, Beige, Grey
Accessories.	Items available
Application.	Inside - Outside / Floor - Wall





Glazed porcelain rectified

B L E N D S T O N E

02 /
WHITE

07 /
PURE

10 /
BEIGE

14 /
GREY

”

Il fascino delle
pietre sedimentarie è
l'ispirazione di questa
classica ma innovativa
collezione reinterpretata
in gres porcellanato.

*The charm of sedimentary
stones is the inspiration
behind this classic yet
innovative glazed porcelain
collection.*




SETTECENTO
MANIFATTURA CERAMICA



WHITE

Wall / **White** · 60x120
 Floor / **White** · 60x120 - 60x60 - 30x60






Singolari inclusioni di microrganismi, fossilizzati e plasmati dal tempo nella roccia millenaria, rendono la proposta naturale e di facile utilizzo in una chiave attuale e contemporanea.

Unique inclusions of small fossil shells, shaped and imprinted on stone over million of years, characterize this collection, giving it a natural touch in a contemporary style.

Wall / **White** · 60x120
Floor / **White** · 60x120 - 60x60 - 30x60


Layout 37C



Wall / **White** · 120x120
Floor / **Pure** · 120x120

PURE



Floor / **Pure** · 60x120



Wall / **Pure** · 30x60
 Floor / **Pure** · 60x60



Indoor
 Floor / **Pure** · 60x60

Outdoor
 Floor / **Pure** · 60x60 GRIP $\times$ 20mm

BEIGE

Struttura morbida
disponibile in 4
colori e vari
formati con ampio
corredo di accessori
per pavimenti e
rivestimenti in
spazi indoor e
outdoor.

*Available in 4
colors and various
sizes, with a wide
range of decors and
trims, suitable
for floor and wall
coverings for indoor
and outdoor residen-
tial and commercial
spaces.*



Wall / **Beige** · 60x120 / **Mosaico Beige** · su rete 30x30
Floor / **Beige** · 60x120 / **Mosaico Beige** · su rete 30x30





Floor / **Beige** · 60x120



Floor / **Beige** · 60x60 GRIP **X** 20mm





Floor / **Grey** · 60x60

B L E N D S T O N E



G l a z e d p o r c e l a i n r e c t i f i e d

CARATTERISTICHE TECNICHE

Technical features
Caracteristiques techniques
Technische Eigenschaften
Технические характеристики

B L E N D S T O N E



WHITE



53 117053 White 120x120




39 117003 White 60x120



33 117013 White 60x60



33 117023 White 30x60



67 117009 Mosaico White 3,1x3,1 su rete 30x30

PURE



53 117050 Pure 120x120



39 117000 Pure 60x120



33 117010 Pure 60x60



33 117020 Pure 30x60



67 117006 Mosaico Pure 3,1x3,1 su rete 30x30

BEIGE



53 117051 Beige 120x120



39 117001 Beige 60x120



33 117011 Beige 60x60



33 117021 Beige 30x60



67 117007 Mosaico Beige 3,1x3,1 su rete 30x30

GREY



53 117052 Grey 120x120



39 117002 Grey 60x120



33 117012 Grey 60x60




33 117022 Grey 30x60




67 117008 Mosaico Grey 3,1x3,1 su rete 30x30

PEZZI SPECIALI

Special pieces / Pièces spéciales / Sonderstücke / Специальные изделия



60 Battiscopa 7,4x60
11700- Pure
11701- Beige
11702- Grey
11703- White



76 Elemento a L 30x60x5
11704- Pure
11705- Beige
11706- Grey
11707- White

BLENDSTONE 20mm



PURE



59 117040 Pure 60x120 GRIP

BEIGE



59 117041 Beige 60x120 GRIP

GREY



59 117042 Grey 60x120 GRIP



65 117030 Pure 60x60 GRIP



65 117031 Beige 60x60 GRIP




65 117032 Grey 60x60 GRIP

20 MM




SCHEMI DI POSA MULTIFORMATO

Laying patterns / Schémas de pose / Verlegemuster / Схемы укладок модулярных коллекций



Size (cm)	30x60	60x60	60x120
Pcs / pattern	2	2	2
% / mq	14%	29%	57%



Size (cm)	30x60	60x60	60x120
Pcs / pattern	1	1	1
% / mq	14%	29%	57%

CARATTERISTICHE TECNICHE

Technical features / Caracteristiques techniques / Technische Eigenschaften / Технические характеристики

UNI EN ISO 14411 BIa A. G GL	Metodo di prova Testing method Teste d'essai Pruefmethode Методика испытаний	Valore Value Valeur Wert Величина	
Assorbimento acqua Water absorption Absorption d'eau Wasseraufnahme Водопоглощение	ISO 10545.3	< 0,5 %	
Resistenza alla flessione Bending strength Résistance à la flexion Biegezugfestigkeit Стойкость к изгибу	ISO 10545.4	Conforme	
Resistenza all'attacco chimico Chemical resistance Résistance à l'attaque chimique Beständigkeit gegen Chemikalien Стойкость к химическому воздействию	ISO 10545.13	A	
Resistenza alle macchie Stain resistance Résistance aux taches Fleckenbeständigkeit Стойкость к образованию пятен	ISO 10545.14	5	
Anti scivolosità Anti-slip index Coefficient anti-dérapage Trittsicherheitskoeffizient Характеристики устойчивости к скольжению	DIN 51130 DIN 51097 ANSI A 137.1:2012	Natural R10 A+B >0,42 wet	Grip R11 A+B+C >0,42 wet
Resistenza all'abrasione Resistance to abrasion Résistance à l'abrasion Abriebhärte Стойкость к истиранию	ISO 10545.7	PEI IV	
Determinazione della resistenza al gelo Frost resistance index Coefficient de résistance au gel Feststellung der Frostbeständigkeit Определение морозостойкости	ISO 10545.12	Ingelivo Frost proof Ingelif Frostsicher Морозостойкая	

IMBALLI

Packaging / Emballages / Verpackungen / Упаковка

	Mq/Box	Pcs/Box	Kg/Box	Mq/Pallet	Box/Pallet	Kg/Pallet
Fondo 120x120 - 48"x48"	1,44	1	30,0	57,6	40	1200,0
Fondo 60x120 - 24"x48"	1,44	2	28,4	51,84	36	1022,4
Fondo 60x60 - 24"x24"	1,44	4	28,5	43,20	30	855,0
Fondo 30x60 - 12"x24"	1,44	8	27,1	46,08	32	867,2
Fondo GRIP 60x120 - 24"x48"	0,72	1	32,3	28,08	39	1259,7
Fondo GRIP 60x60 - 24"x24"	0,72	2	31,5	23,04	32	1008,0
Mosaico su rete 30x30 - 12"x12" mesh	0,54	6	10,7	18,36	34	363,8
Battiscopa 7,4x60 - 3"x24"	7,20m1	12	10,6			
Elemento a L 30x60x5 - 12"x24"x2"		4	16,6			

'SETTECENTO
MANIFATTURA CERAMICA

Ceramiche Settecento Valtresinaro S.p.A.

Via del Crociale, 21 - 41042 Fiorano Modenese (MO)

Tel. +39 0536 928711 - Fax +39 0536 928718

www.settecento.com - e-mail: info@settecento.com


Ceramics of Italy