


NEWPORT NATURE


Monoporosa Rectificado
Rectified Wall Tiles



PERFIL / PERFIL

1.5x100 cm (x15.0 mm) 5/8"x39 1/2"

- NEWPORT WHITE NATURE 100229007 - V3960374 - G97
- NEWPORT ACERO NATURE 100231877 - V3960385 - G97
- NEWPORT NATURAL NATURE 100229042 - V3960376 - G97
- NEWPORT BEIGE NATURE 100229051 - V3960375 - G97
- NEWPORT GRAY NATURE 100229060 - V3960378 - G97
- NEWPORT DARK GRAY NATURE 100229033 - V3960377 - G97



NEWPORT WHITE NATURE

33.3x100 cm (x9.2 mm) 13"x39 1/2"
100226822 · V1440304 · G261

Butech: *Recomienda junta / Recommends joint*
Colorstuk Especial N White 100238236 - B24302055



NEWPORT ACERO NATURE

33.3x100 cm (x9.2 mm) 13"x39 1/2"
100231875 · V1440336 · G261

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



NEWPORT NATURAL NATURE

33.3x100 cm (x9.2 mm) 13"x39 1/2"
100226796 · V1440303 · G261

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



NEWPORT BEIGE NATURE

33.3x100 cm (x9.2 mm) 13"x39 1/2"
100226811 · V1440302 · G261

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258

EMBALAJE PACKAGING Modelo Model	x CAJA BOX			x PALET			ADHESIVO*
	Piezas	M² (1)	Kg (1)	Caja	M² (1)	Kg (1)	Butech
Newport Nature 33.3x100 cm	4	1.33	20.44	55	73.26	1124	One-flex Premium /
Perfil 1.5x100 cm	15	0.45	5.60	28	12.60	157	Fr-one n


(1)Valores aproximados · Approximated values

*Recomendación para soporte de mortero en interiores · *Interior installation over cement mortar substrate

PAVIMENTO COMBINABLE

FLOOR TILE COMBINATIONS
NEWPORT NATURE 59.6x59.6 cm
NEWPORT NATURE 80x80 cm
** NEWPORT NATURE 100x100 cm

**Sólo disponible en / **Only available in ACERO,
NATURAL, DARK GRAY





NEWPORT GRAY NATURE

33.3x100 cm (x9.2 mm) 13"x39 1/2"

100226795 · V1440300 · G261

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



NEWPORT DARK GRAY NATURE

33.3x100 cm (x9.2 mm) 13"x39 1/2"

100226794 · V1440301 · G261

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Antracita 100236481 - B21522250

NEWPORT NATURE

Monoporosa Rectificado
Rectified Wall Tiles



RECTIFICADO
RECTIFIED



MATE
MATT



DESTONIFICACIÓN
TONAL VARIATION
V3



NEWPORT NATURE

Gres Porcelánico Rectificado / Color Masa

Rectified Porcelain Tiles / Coloured Biscuit



RECTIFICADO
RECTIFIED



EXTERIORES
EXTERIORS



MATE
MATT



DESTONIFICACIÓN
TONAL VARIATION



STON-KER
STON-KER



NEWPORT ACERO NATURE

100x100 cm (x11.1 mm) 39 1/2"x39 1/2"

100233225 · V9101528 · G377

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Gris 100236834 - B21522258



ZÓCALO / SKIRTING BOARDS

9x80 cm (x11.1 mm) 3 1/2"x31 1/2"

NEWPORT ACERO NATURE 100233832 - V7590551 - G63

NEWPORT NATURAL NATURE 100229016 - V7590505 - G63



HUELLA TÉCNICA (2) / STEP TILES (2)

31.6x59.6 cm (x31.5 mm) 12 1/2"x23 1/2"

NEWPORT ACERO NATURE 100231876 - V7710120 - G130

NEWPORT NATURAL NATURE 100229008 - V7710114 - G130

(2) HUELLA TÉCNICA ESQUINA DE / IZ

(2) LEFT / RIGHT CORNER STEP TILES

Consultar guía técnica.

No disponible en stock.

Consultar condiciones.

See *Technical Guide*.

Not in stock.

Check conditions



NEWPORT NATURAL NATURE

100x100 cm (x11.1 mm) 39 1/2"x39 1/2"

100233235 · V9101529 · G377

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Gris 100236834 - B21522258

NEWPORT NATURE

Utilizar materiales de colocación

específicos para Gres Porcelánico

Use *specific Porcelain Tiles setting*

materials

EMBALAJE PACKAGING Modelo Model	x CAJA BOX			x PALET			ADHESIVO*
	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)	Butech
Newport Nature 100x100 cm	1	1.00	27.63	30	30.00	829	One-flex Premium /
Zócalo 9x80 cm	12	0.86	22.36	42	36.39	939	Super-flex S2
Huella Técnica 31.6x59.6 cm	2	0.42	12.00	48	19.97	576	

(1)Valores aproximados *Approximated values*

*Recomendación para soporte de mortero en interiores **Interior installation over cement mortar substrate*

REVESTIMIENTO COMBINABLE

WALL TILE COMBINATIONS

NEWPORT NATURE 33.3x100 cm



NEWPORT NATURE



NEWPORT DARK GRAY NATURE

100x100 cm (x111 mm) 39 1/2"x39 1/2"

100233260 - V9101526 - G377

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Antracita 100236481 - B21522250

Gres Porcelánico Rectificado / Color Masa
Rectified Porcelain Tiles / Coloured Biscuit



RECTIFICADO
RECTIFIED



EXTERIORES
EXTERIORS



MATE
MATT



V3
DESTONIFICACIÓN
TONAL VARIATION



STON-KER
STON-KER



ZÓCALO / SKIRTING BOARDS

9x80 cm (x111 mm) 3 1/2"x31 1/2"

NEWPORT DARK GRAY NATURE 100229024 - V7590506 - G63



HUELLA TÉCNICA (2) / STEP TILES (2)

31.6x59.6 cm (x31.5 mm) 12 1/2"x23 1/2"

NEWPORT DARK GRAY NATURE 100229044 - V7710111 - G130

(2) HUELLA TÉCNICA ESQUINA DE / IZ

(2) LEFT / RIGHT CORNER STEP TILES

Consultar guía técnica.

No disponible en stock.

Consultar condiciones.

See *Technical Guide*.

Not in stock.

Check conditions

NEWPORT NATURE

Utilizar materiales de colocación
específicos para Gres Porcelánico
*Use specific Porcelain Tiles setting
materials*



REVESTIMIENTO COMBINABLE

WALL TILE COMBINATIONS
NEWPORT NATURE 33.3x100 cm

EMBALAJE PACKAGING Modelo Model	CAJA BOX			PALET			ADHESIVO*
	Piezas	M² (1)	Kg (1)	Caja	M² (1)	Kg (1)	Butech
Newport Nature 100x100 cm	1	1.00	27.63	30	30.00	829	One-flex Premium / Super-flex S2
Zócalo 9x80 cm	12	0.86	22.36	42	36.39	939	
Huella Técnica 31.6x59.6 cm	2	0.42	12.00	48	19.97	576	

(1)Valores aproximados. *Approximated values*

*Recomendación para soporte de mortero en interiores. **Interior installation over cement mortar substrate*

NEWPORT NATURE

Gres Porcelánico Rectificado / Color Masa

Rectified Porcelain Tiles / Coloured Biscuit



ZÓCALO / SKIRTING BOARDS

9x80 cm (x111 mm) 3 1/2"x31 1/2"

NEWPORT WHITE NATURE 100229003 - V7590504 - G63

NEWPORT ACERO NATURE 100233832 - V7590551 - G63

NEWPORT NATURAL NATURE 100229016 - V7590505 - G63



HUELLA TÉCNICA (2) / STEP TILES (2)

31.6x59.6 cm (x31.5 mm) 12 1/2"x23 1/2"

NEWPORT WHITE NATURE 100229030 - V7710110 - G130

NEWPORT ACERO NATURE 100231876 - V7710120 - G130

NEWPORT NATURAL NATURE 100229008 - V7710114 - G130

(2) HUELLA TÉCNICA ESQUINA DE / IZ

(2) LEFT / RIGHT CORNER STEP TILES

Consultar guía técnica.

No disponible en stock.

Consultar condiciones.

See Technical Guide.

Not in stock.

Check conditions

NEWPORT NATURE

Utilizar materiales de colocación

específicos para Gres Porcelánico

Use specific Porcelain Tiles setting

materials

EMBALAJE PACKAGING	x CAJA BOX			x PALET			ADHESIVO*
Modelo Model	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)	Butech
Newport Nature 80x80 cm	2	1.28	31.98	40	51.20	1279	One-flex Premium /
Zócalo 9x80 cm	12	0.86	22.36	42	36.39	939	Super-flex S2
Huella Técnica 31.6x59.6 cm	2	0.42	12.00	48	19.97	576	

(1)Valores aproximados / Approximated values

*Recomendación para soporte de mortero en interiores / *Interior installation over cement mortar substrate



NEWPORT WHITE NATURE

80x80 cm (x111 mm) 31 1/2"x31 1/2"

100226265 · V5700050 · G369

Butech: Recomienda junta / Recommends joint

Colorstuk Especial N White 100238236 - B24302055



NEWPORT ACERO NATURE

80x80 cm (x111 mm) 31 1/2"x31 1/2"

100233227 · V5700059 · G369

Butech: Recomienda junta / Recommends joint

Colorstuk Rapid N Gris 100236834 - B21522258



NEWPORT NATURAL NATURE

80x80 cm (x111 mm) 31 1/2"x31 1/2"

100226266 · V5700047 · G369

Butech: Recomienda junta / Recommends joint

Colorstuk Rapid N Gris 100236834 - B21522258

NEWPORT NATURE

Gres Porcelánico Rectificado / Color Masa
Rectified Porcelain Tiles / Coloured Biscuit



RECTIFICADO
RECTIFIED



EXTERIORES
EXTERIORS



MATE
MATT



V3
DESTONIFICACIÓN
TONAL VARIATION



STON-KER
STON-KER



NEWPORT BEIGE NATURE

80x80 cm (x11.1 mm) 31 1/2"x31 1/2"
100226291 · V5700049 · G369

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



NEWPORT GRAY NATURE

80x80 cm (x11.1 mm) 31 1/2"x31 1/2"
100226248 · V5700048 · G369

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



NEWPORT DARK GRAY NATURE

80x80 cm (x11.1 mm) 31 1/2"x31 1/2"
100226257 · V5700051 · G369

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Antracita 100236481 - B21522250



ZÓCALO / SKIRTING BOARDS

9x80 cm (x11.1 mm) 3 1/2"x31 1/2"

NEWPORT BEIGE NATURE 100229023 - V7590503 - G63
NEWPORT GRAY NATURE 100228977 - V7590507 - G63
NEWPORT DARK GRAY NATURE 100229024 - V7590506 - G63



HUELLA TÉCNICA (2) / STEP TILES (2)

31.6x59.6 cm (x31.5 mm) 12 1/2"x23 1/2"

NEWPORT BEIGE NATURE 100229052 - V7710113 - G130
NEWPORT GRAY NATURE 100228999 - V7710112 - G130
NEWPORT DARK GRAY NATURE 100229044 - V7710111 - G130

(2) HUELLA TÉCNICA ESQUINA DE / IZ

(2) LEFT / RIGHT CORNER STEP TILES

Consultar guía técnica.
No disponible en stock.
Consultar condiciones.
See Technical Guide.
Not in stock.
Check conditions

NEWPORT NATURE

Utilizar materiales de colocación
específicos para Gres Porcelánico
*Use specific Porcelain Tiles setting
materials*

REVESTIMIENTO COMBINABLE

WALL TILE COMBINATIONS
NEWPORT NATURE 33.3x100 cm



EMBALAJE PACKAGING	CAJA BOX			PALET			ADHESIVO*
	Modelo Model	Piezas	M² (1)	Kg (1)	Caja	M² (1)	
Newport Nature 80x80 cm	2	1.28	31.98	40	51.20	1279	One-flex Premium / Super-flex S2
Zócalo 9x80 cm	12	0.86	22.36	42	36.39	939	
Huella Técnica 31.6x59.6 cm	2	0.42	12.00	48	19.97	576	

(1)Valores aproximados. *Approximated values*

*Recomendación para soporte de mortero en interiores. **Interior installation over cement mortar substrate*

NEWPORT NATURE

Gres Porcelánico Rectificado / Color Masa

Rectified Porcelain Tiles / Coloured Biscuit



RECTIFICADO
RECTIFIED



EXTERIORES
EXTERIORS



MATE
MATT



DESTONIFICACIÓN
TONAL VARIATION



STON-KER
STON-KER



NEWPORT WHITE NATURE

59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"

100226249 · V5590835 · G354

Butech: *Recomienda junta / Recommends joint*

Colorstuk Especial N White 100238236 - B24302055



NEWPORT ACERO NATURE

59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"

100231911 · V5590862 · G354

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Gris 100236834 - B21522258



NEWPORT NATURAL NATURE

59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"

100226258 · V5590837 · G354

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Gris 100236834 - B21522258



ZÓCALO / SKIRTING BOARDS

9x59.6 cm (x10.5 mm) 3 1/2"x23 1/2"

NEWPORT WHITE NATURE 100228994 - V4460066 - G30

NEWPORT ACERO NATURE 100231921 - V4460072 - G30

NEWPORT NATURAL NATURE 100229015 - V4460069 - G30



HUELLA TÉCNICA (2) / STEP TILES (2)

31.6x59.6 cm (x31.5 mm) 12 1/2"x23 1/2"

NEWPORT WHITE NATURE 100229030 - V7710110 - G130

NEWPORT ACERO NATURE 100231876 - V7710120 - G130

NEWPORT NATURAL NATURE 100229008 - V7710114 - G130

(2) HUELLA TÉCNICA ESQUINA DE / IZ

(2) LEFT / RIGHT CORNER STEP TILES

Consultar guía técnica.

No disponible en stock.

Consultar condiciones.

See *Technical Guide*.

Not in stock.

Check conditions

NEWPORT NATURE

Utilizar materiales de colocación

específicos para Gres Porcelánico

Use specific Porcelain Tiles setting

materials

EMBALAJE PACKAGING Modelo Model	x CAJA BOX			x PALET			ADHESIVO*
	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)	Butech
Newport Nature 59.6x59.6 cm	4	1.42	33.82	32	45.47	1082	One-flex Premium /
Zócalo 9x59.6 cm	18	0.97	21.96	56	54.07	1230	Fr-one n
Huella Técnica 31.6x59.6 cm	2	0.42	12.00	48	19.97	576	One-flex Premium / Super-flex S2

(1)Valores aproximados. *Approximated values*

*Recomendación para soporte de mortero en interiores. **Interior installation over cement mortar substrate*

REVESTIMIENTO COMBINABLE

WALL TILE COMBINATIONS

NEWPORT NATURE 33.3x100 cm



NEWPORT NATURE

Gres Porcelánico Rectificado / Color Masa
Rectified Porcelain Tiles / Coloured Biscuit



RECTIFICADO
RECTIFIED



EXTERIORES
EXTERIORS



MATE
MATT



V3
DESTONIFICACIÓN
TONAL VARIATION



STON-KER
STON-KER



NEWPORT BEIGE NATURE

59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
100226290 · V5590838 · G354

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



NEWPORT GRAY NATURE

59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
100226247 · V5590836 · G354

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



NEWPORT DARK GRAY NATURE

59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
100226246 · V5590834 · G354

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Antracita 100236481 - B21522250



ZÓCALO / SKIRTING BOARDS

9x59.6 cm (x10.5 mm) 3 1/2"x23 1/2"

NEWPORT BEIGE NATURE 100228996 - V4460070 - G30
NEWPORT GRAY NATURE 100228985 - V4460068 - G30
NEWPORT DARK GRAY NATURE 100229014 - V4460067 - G30



HUELLA TÉCNICA (2) / STEP TILES (2)

31.6x59.6 cm (x31.5 mm) 12 1/2"x23 1/2"

NEWPORT BEIGE NATURE 100229052 - V7710113 - G130
NEWPORT GRAY NATURE 100228999 - V7710112 - G130
NEWPORT DARK GRAY NATURE 100229044 - V7710111 - G130

(2) HUELLA TÉCNICA ESQUINA DE / IZ

(2) LEFT / RIGHT CORNER STEP TILES

Consultar guía técnica.

No disponible en stock.

Consultar condiciones.

See *Technical Guide*.

Not in stock.

Check conditions

NEWPORT NATURE

Utilizar materiales de colocación
específicos para Gres Porcelánico
Use specific *Porcelain Tiles setting*
materials



REVESTIMIENTO COMBINABLE
WALL TILE COMBINATIONS
NEWPORT NATURE 33.3x100 cm

EMBALAJE PACKAGING Modelo Model	CAJA BOX		PALET			ADHESIVO*	
	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)	Butech
Newport Nature 59.6x59.6 cm	4	1.42	33.82	32	45.47	1082	One-flex Premium /
Zócalo 9x59.6 cm	18	0.97	21.96	56	54.07	1230	Fr-one n
Huella Técnica 31.6x59.6 cm	2	0.42	12.00	48	19.97	576	One-flex Premium / Super-flex S2

(1)Valores aproximados / Approximated values

*Recomendación para soporte de mortero en interiores / *Interior installation over cement mortar substrate

NEWPORT NATURE

Gres Porcelánico Rectificado / Color Masa
Rectified Porcelain Tiles / Coloured Biscuit



RECTIFICADO
RECTIFIED



EXTERIORES
EXTERIORS



MATE
MATT



DESTONIFICACIÓN
TONAL VARIATION



STON-KER
STON-KER



NANO-KER

2
CLASE
CLASS

NEWPORT NATURAL NATURE C-2

59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"

100241860 - V5590892 - G354

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Gris 100236834 - B21522258



GT

GRANILLA TÉCNICA
HIGH-PERFORMANCE POWERED GLAZE



ANTIDESLIZANTE
ANTI-SLIP

3
CLASE
CLASS

NEWPORT NATURAL NATURE C-3

59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"

100229096 - V5590856 - G359

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Gris 100236834 - B21522258



ZÓCALO / SKIRTING BOARDS

9x59.6 cm (x10.5 mm) 3 1/2"x23 1/2"

NEWPORT NATURAL NATURE 100229015 - V4460069 - G30

NEWPORT NATURE

Utilizar materiales de colocación
específicos para Gres Porcelánico
*Use specific Porcelain Tiles setting
materials*

EMBALAJE PACKAGING Modelo Model	x CAJA BOX			x PALET			ADHESIVO*
	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)	Butech
Newport Nature 59.6x59.6 cm	4	1.42	33.82	32	45.47	1082	One-flex Premium / Fr-one n
Zócalo 9x59.6 cm	18	0.97	21.96	56	54.07	1230	

(1)Valores aproximados. *Approximated values*

*Recomendación para soporte de mortero en interiores. **Interior installation over cement mortar substrate*

REVESTIMIENTO COMBINABLE
WALL TILE COMBINATIONS
NEWPORT NATURE 33.3x100 cm





FLOOR TILES