


**TERRAZZONE**

**FULL  
BODY**  
PORCELAIN

OPUS  
PLUS  
SOP  
PU

WIFI  
CERAMICHE  
唯梵



## OPUS SERIES

BY DEFINITION, AN OPUS IS A CREATED WORK BY MAN, USUALLY OF AN ARTISTIC KIND. IT IS CREATIVE AND BEAUTIFUL – A DEFINITE WORK OF ART TO THE EYE OF THE BEHOLDER.

WIFI INTRODUCES OPUS, A UNIQUE GLAZED PORCELAIN TILE SERIES THAT OFFERS DESIGNS INSPIRED BY MAN-MADE MATERIALS IN THE ARCHITECTURE WORLD. OPUS TILES PROVIDES INFINITE POSSIBILITIES TO THE DISERNING WHEN IT COMES TO BEAUTIFUL, MODERN SPACES. ITS RANGE OF VERSATILE, NEUTRAL HUES ALSO AIMS TO DELIGHT THE SENSES.

AS THE TIMELESS APPEAL OF OPUS PORCELAIN TILES SPREADS FROM FLOORS TO WALLS, WIFI IS THE NUMBER ONE CHOICE FOR QUALITY, DURABILITY AND VARIETY.

BY WIFI CERAMICS



# OPUS TERRAZZONE

TERRAZZO FLOORING MADE ITS DEBUT IN THE 15TH CENTURY WHEN WORKERS IN VENICE FOUND A WAY TO COMBINE MARBLE SCRAPS TO PRODUCE A BEAUTIFUL AND DURABLE SURFACE. HOWEVER, TODAY'S TERRAZZO INCLUDES OTHER MATERIALS, INCLUDING EPOXY BASES AND RECYCLED GLASS FLECKS RESULTING IN A MORE INTERESTING AND MODERN APPEARANCE.

OPUS INTRODUCES TERRAZZONE, A FABULOUS PORCELAIN TILE THAT COMBINES THE BEAUTY OF ACTUAL TERRAZZO WITH THE CONVENIENCE OF TILE. AVAILABLE IN TWO SIZES AND FOUR GORGEOUS COLOURS, TERRAZZO TILES ARE EXTREMELY VERSATILE WHEN IT COMES TO SPATIAL STYLING. ITS INDUSTRIAL LOOK INJECTS TEXTURAL QUALITY TO CONTEMPORARY HOMES WHILE ITS RETRO VIBE MAKES IT A PERFECT FIT FOR MID-CENTURY MODERN SETTINGS.

BY WIFI CERAMICS



# OPUS TERRAZZONE



**ALMOND** GT808008  
■ MATT



■ 80x80 ■ 2 RANDOM FACES

**ASH** GT808009  
■ MATT



■ 80x80 ■ 2 RANDOM FACES

**CINDER** GT808010  
■ MATT



■ 80x80 ■ 2 RANDOM FACES

**ICE**  
GT606007  
■ MATT



■ 60x60  
■ 4 RANDOM FACES

**ALMOND**  
GT606008  
■ MATT



■ 60x60  
■ 4 RANDOM FACES

**ASH**  
GT606009  
■ MATT



■ 60x60  
■ 4 RANDOM FACES

**CINDER**  
GT606010  
■ MATT



■ 60x60  
■ 4 RANDOM FACES

**IVORY**  
GT606031  
■ MATT



■ 60x60  
■ 4 RANDOM FACES

**GRIGIO**  
GT606032  
■ MATT



■ 60x60  
■ 4 RANDOM FACES

**ICE**  
FP12612  
■ HONED



■ 60x120  
■ 2 RANDOM FACES

**ALMOND**  
FP12613  
■ HONED



■ 60x120  
■ 2 RANDOM FACES

**ASH**  
FP12618  
■ HONED



■ 60x120  
■ 2 RANDOM FACES

**CINDER**  
FP12619  
■ HONED



■ 60x120  
■ 2 RANDOM FACES

**IVORY**  
GT126031  
■ HONED




■ 60x120  
■ 2 RANDOM FACES

**GRIGIO**  
GT126032  
■ HONED




■ 60x120  
■ 2 RANDOM FACES



**ICE** GT606007  
■ MATT ■ 60X60 ■ 4 RANDOMNESS

**ICE** FP12612  
■ HONED ■ 60X120 ■ 4 RANDOMNESS



**ALMOND** GT808008  
■ MATT ■ 80X80 ■ 2 RANDOMNESS

**ALMOND** GT606008  
■ MATT ■ 60X60 ■ 4 RANDOMNESS

**ALMOND** FP12613  
■ HONED ■ 60X120 ■ 2 RANDOMNESS



**FULL  
BODY**  
PORCELAIN


WIFI  
CERAMICHE  
唯梵



**ASH** GT808009  
■ MATT ■ 60X60 ■ 2 RANDOMNESS

**ASH** GT606009  
■ MATT ■ 60X60 ■ 4 RANDOMNESS

**ASH** FP12618  
■ HONED ■ 60X120 ■ 2 RANDOMNESS



**FULL  
BODY**  
PORCELAIN

WIFI  
CERAMICHE  
唯梵



**CINDER** GT808010  
■ MATT ■ 80X80 ■ 2 RANDOMNESS

**CINDER** GT606010  
■ MATT ■ 60X60 ■ 4 RANDOMNESS

**CINDER** FP12619  
■ HONED ■ 60X120 ■ 2 RANDOMNESS




**FULL  
BODY**  
PORCELAIN

WIFI  
CERAMICHE  
唯梵



**IVORY** GT606031  
■ MATT ■ 60X60 ■ 4 RANDOMNESS

**IVORY** GT126031  
■ HONED ■ 60X120 ■ 2 RANDOMNESS



**GRIGIO** GT606032  
■ MATT ■ 60X60 ■ 4 RANDOMNESS

**GRIGIO** GT126032  
■ HONED ■ 60X120 ■ 2 RANDOMNESS

# TECHINICAL SPECIFICATIONS

| DESCRIPTION                                                      | STANDARD TEST                                   | MEASUREMENT UNIT        | ISO STANDARD REQUIREMENT                     | WIFI                                         |
|------------------------------------------------------------------|-------------------------------------------------|-------------------------|----------------------------------------------|----------------------------------------------|
| Length & Width                                                   | ISO 10545 - 2                                   | mm                      | ± 0.5% Max                                   | ± 0.5% Max                                   |
| Thickness                                                        | ISO 10545 - 2                                   | mm                      | ± 5.0% Max                                   | ± 5.0% Max                                   |
| Sides Straightness                                               | ISO 10545 - 2                                   | mm                      | ± 0.5% Max                                   | ± 0.5% Max                                   |
| Rectangularity                                                   | ISO 10545 - 2                                   | mm                      | ± 0.6% Max                                   | ± 0.6% Max                                   |
| Flatness: a) Centre Curvature<br>b) Edge Curvature<br>c) Warpage | ISO 10545 - 2<br>ISO 10545 - 2<br>ISO 10545 - 2 | mm<br>mm<br>mm          | ± 0.5% Max<br>± 0.5% Max<br>± 0.5% Max       | ± 0.5% Max<br>± 0.5% Max<br>± 0.5% Max       |
| Surface Quality                                                  | ISO 10545 - 2                                   | One major area of tiles | ≥ 95% free from visible defect               | ≥ 95% free from visible defect               |
| Water Absorption                                                 | ISO 10545 - 3                                   | Mass                    | ≤ 0.5%                                       | 0.05%                                        |
| Modulus of Rupture                                               | ISO 10545 - 4                                   | N/mm2                   | ≥ 35N/mm2                                    | ≥ 35N/mm2                                    |
| Deep Abrasion                                                    | ISO 10545 - 6                                   | mm3                     | ≤ 175 mm3                                    | ≤ 175 mm3                                    |
| Surface Abrasion PEI ASTM C1027                                  | ISO 10545 - 7                                   | Visual Check            | Manuf. to state Abrasion Class, Cycle Passed | Manuf. to state Abrasion Class, Cycle Passed |
| Crazing Test                                                     | ISO 10545 - 11                                  | Visual Check            | Not Applicable for porcelain tiles           | Not Applicable for porcelain tiles           |
| Frost Resistance                                                 | ISO 10545 - 12                                  | Visual Check            | Required                                     | Required                                     |
| Chemical Resistance (Low Cons.)                                  | ISO 10545 - 13                                  | Visual Check            | Manuf. to state                              | Manuf. to state                              |
| Chemical Resistance (Household/Swimming Pool)                    | ISO 10545 - 13                                  | Visual Check            | Max Visible Change On Cut Side               | Max Visible Change On Cut Side               |
| Stain Resistance                                                 | ISO 10545 - 14                                  | Visual Check            | Class 3 Min                                  | Class 3 Min                                  |
| Coefficient of Friction                                          | ISO 10545 - 17                                  | Manuf. to state         | Manuf. to state                              | Manuf. to state                              |

Each different tiles series is produced to meet different performance requirements. For specific product technical performance, please request from **WIFI** sales team or their agent or distributor.

Colour Variations: Since the colour reproduction in this printed piece will vary from the actual tile colours, final selection should be made from tile samples. Colour, shade and glaze variations may exist due to the inherent characteristics of porcelain tile.

**WIFI** CERAMICS

No. 13-17, Building A16,  
International Ceramics and Sanitary Ware City,  
Jihua West Road, Nanzhuang Town,  
Chancheng District, Foshan City  
Guangdong Province, China.

+86-757-8252 5001  
info@wificeramics.com  
www.wificeramics.com